

	TITLE	AND NUM	BER OF PL
		TITLE	
	COVER & TITLE		
and the second s	GENERAL DIMENSIONS	& DATA	
	OUTBOARD PROFILE		
	INBOARD PROFILE		
	03 LEVEL & ABOVE		
	02 LEVEL		
	OI LEVEL		
	MAIN DECK		
	2ND DECK		
	IST PLATFORM		
	2ND PLATFORM		
	3RD PLATFORM		
	HOLD		
	MIDSHIP SECTIONS 8	TYPE SECTIONS	FORWARD
	TYPE SECTIONS AFT		

man and the second seco


PLATE NO. I

AOR 3

BOOKLET OF GENERAL PLANS

BUSHIPS NO. AOR-845-2522022

SELECTED RECORD PLAN



HEIGHTS ABOVE 35'-0" D.W.L

			NO	SIZE & TYPE	EACH	
			2	40'-0" UTILITY	7.5	
ک			2	26'-0" MOTOR WHALE	22	
		3	2	26'-0" PERSONNEL	20	
	7		20	MK6 CONTAINERIZED LIFT BOATS	25	
				14'-0" PUNT		
	1	F			\$ 1	

	BOOM	LOCATION	_
~~	CARGO	MN DK FR 52 P/S	_
			_

LOCATION HE
AR MAST FR 321/4 115
66 PLAT FR 30 68
-

IGHT		LEVEL	LOCATION	FR	REM	IARKS
0:-6"	1	02	Œ.	30	TO MED LINE	OF DK PLTG
7'-6'		02		63		
		03		. 30		<u> </u>
	٠.	03		80		
a de la companya de l		04 -	No.	30		
		04		80		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Para .	1					

4	ş.	1			9	
1	1	4	NO	SIZE & TYPE	EACH	
			. 2	40'-0" UTILITY	7.5	
1	1		2	26'-0" MOTOR WHALE	.22	
			2	26'-0" PERSONNEL	20	
1	7		20	MK6 CONTAINERIZED LIFT BOATS	25	
		-		14'-0" PUNT		
4	T	1			TOTAL	

	BOOM	LOCATION	
~	CARGO	MN DK FR 52 P/S	_
1			_

HEIGHTS ABOVE 35'-0" D.W.L.

ROTATING ANTENNA	LOCATION	HE
SPS-10/SPS-58	@ RADAR MAST FR 321/4	- 11.
LN-66 RADAR	LN-66 PLAT FR 30	6
William Control of the Control of th		

HEIGHTS ABOVE 35'-0" D.W.L

neion	Ì	Lioni	LOCATION
41'-0"		FWD MAST HEAD LIGHT	© JACKSTAFF
39'-6"		FWD ANCHOR	
49'-6"		UPPER TOWING	RADAR MAST
51'-6"	7.	LOWER TOWING	
58'- 0"			
59-6"		BLINKER	YARDARM P/S
·		SIDE	BET FRS 33 - 34 P/S
	ĺ		

AFT MAST HEAD LIGHT A/C WARNING LIGHT

AFT ANCHOR

BERTHING ACCOMMODATIONS

	1	the state of the s				
		PERSONNEL	BEDS	BERTH TRANSOMS	BERTHS] -
		OFFICERS	3	5	26	
		CPO			22	
		CREW	1		431	3
- *		TOTAL 390	3,22	5-	479	

CORRESPONDING TO FULL LOAD

DISPLACEMENT______33'-38

LOCKERS

PO	BL	UE UNIFORMS		C	REW	
				• .	TYPE	В
TYPE	Ε	(13 OVERCOATS)	3			8
		•				\sim

F (9 OVERCOATS)

66'-6"

BET, FRS 32-33 24"AFT FR 46

- G (26 COATS)

PEACCAT TYPE L (34 COATS) K (16 COATS)

GENERAL DIMENSIONS & DATA

PLATE NO. 2

